

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

LOC Element

according to the product specification listed in the current addendum to this certificate placed on the market by

Company
LOC HOLZ GMBH
Technologiestraße 11
AT-4341 Arbing

and produced in the manufacturing plant

AT-4341 Arbing, Inkoba 11

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

ETA-23/0239, issued on 11.04.2023

and

EAD 130005-00-0304

under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

CERTIFICATE OF CONSTANCY OF PERFORMANCE


Certificate number: 1359-CPR-0849

Date of first issue: 13.04.2023


Date of issuance: 13.04.2023

This certificate will remain valid as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For the validity of this certificate see www.holzforchung.at.



Dr. Andreas Neumüller
Authorised signatory



Dr. Manfred Brandstätter
Head of the Certification Body

Addendum to certificate 1359-CPR-0849

Date of issuance: 13.04.2023

Scope of certification:

Structure:	minimum 3-layers, layers arranged perpendicular (angle of 90°), maximum 9 layers, symmetrical construction
Strength classes of the laminations:	C 24
Thickness:	60 - 360 mm
Width x length:	max. 3,55 × 16,0 m
Service classes:	1, 2
Wood species:	PCAB – spruce / ABAL – fir
Adhesive:	
- Finger joints	Type I: PUR according to EN 15425
- Narrow side bonding	Type I: MUF according to EN 301
- Surface bonding	Type I: MUF according to EN 301